

FOR Henry, Trimble, Carroll, Shelby and Oldham
Counties in Kentucky
Community, Town or City _____

P.S.C. KY. NO. _____

SHEET NO. _____

Henry County Water District # 2
(Name of Utility)

CANCELLING P.S.C. KY. NO. _____

SHEET NO. _____

Rates & Charges

New Meter Installation Fee	\$1,120.00. C 9/20/10	(I)
Service Charge for Reading Meter	\$ 25.00	
Collection of Delinquent Accounts	\$ 25.00	
Service Charge for Returned Checks	\$ 25.00	

DATE OF ISSUE 01/01/10
Month / Date / Year

DATE EFFECTIVE 02/03/10
Month / Date / Year

ISSUED BY *James T. Tyson*
(Signature of Officer)

TITLE CHIEF OPERATING OFFICER

BY AUTHORITY OF ORDER OF THE PUBLIC SERVICE COMMISSION
IN CASE NO. 2009-445 DATED 2-3-2010

KENTUCKY PUBLIC SERVICE COMMISSION
JEFF R. DEROUEN EXECUTIVE DIRECTOR
TARIFF BRANCH <i>Burt Kinley</i>
EFFECTIVE 2/3/2010 PURSUANT TO 807 KAR 5:011 SECTION 9 (1)

P.S.C. Ky. NO. 2

3rd Revised SHEET NO. 1
2

CANCELLING P.S.C.Ky. NO 2nd Revise

Henry County Water District # 2
Name of Issuing Corporation

SHEET NO. 1

CLASSIFICATION OF SERVICE

First	1,500 Gallons	\$16.00 Minimum Bill
Next	3,500 Gallons	5.75 Per 1,000 Gallons
Next	5,000 Gallons	5.25 Per 1,000 Gallons
Next	10,000 Gallons	4.25 Per 1,000 Gallons
Next	30,000 Gallons	3.25 Per 1,000 Gallons
All Over	50,000 Gallons	2.20 Per 1,000 Gallons
Wholesale		2.20 Per 1,000 Gallons

C 8/12/10

PUBLIC SERVICE COMMISSION
OF KENTUCKY
EFFECTIVE

OCT 1 1996

PURSUANT TO 807 KAR 5:011,
SECTION 9(1)

BY: Phyllis Larkin
DIRECTOR, RATES & RESEARCH DIV.

DATE OF ISSUE September 26, 1996

DATE EFFECTIVE 10-1-96

ISSUED BY

William L. Hawkins
Name of Officer

TITLE Chairman

Issued by authority of an Order of the Public Service Commission in
Case No. _____ dated _____.

Form for filing Rate Schedules

Henry, Trimble, Carroll
For Oldham, & Shelby Counties
Community, Town or City

P.S.C. NO. _____

_____ SHEET NO. _____

CANCELLING P.S.C. NO. _____

_____ SHEET NO. _____

Henry County Water District # 2
Name of Issuing Corporation

CLASSIFICATION OF SERVICE

		RATE PER UNIT
New Meter Installation Fee	\$ 575.00	
Service Charge for Reading Meter	25.00	
Collection of Delinquent Accounts	25.00	
Service Charge for Returned Checks	25.00	

C2/3/10

PUBLIC SERVICE COMMISSION
OF KENTUCKY
EFFECTIVE

JUN 01 1997

PURSUANT TO 807 KAR 5.011,
SECTION 9 (1)

BY: Jordan C. Neal
FOR THE PUBLIC SERVICE COMMISSION

DATE OF ISSUE November 12, 1996

DATE EFFECTIVE June 1, 1997

ISSUED BY William T. Hawkins
Name of Officer

TITLE Chairman

Issued by authority of an Order of the Public Service Commission of Kentucky
in Case No. _____ dated _____

Form for filing Rate Schedules

For Henry, Carroll, Oldham & Trimble
Community, Town or City

Counties
P.S.C. NO. 2

Original SHEET NO. 2-A

CANCELLING P.S.C. NO. _____

SHEET NO. _____

Henry County Water District No. 2
Name of Issuing Corporation

CLASSIFICATION OF SERVICE

	RATE PER UNIT
* Transfer fee (terminating old customers and instating new customers)	\$25.00
* Connection fee (placing out of service meter into service)	\$25.00
c 7/84 * Service charge on returned checks	\$ 5.00
* Reconnection fee (for reconnecting of paid delinquent accounts)	\$25.00
* (necessitating trip to meter, based on average cost, where there is four county coverage and approximately 225 miles of water lines)	
10% penalty of total bill imposed after 10th of month	

C2/3/10

PUBLIC SERVICE COMMISSION
OF KENTUCKY
EFFECTIVE

NOV 29 1982

PURSUANT TO 807 KAR 5:011,
SECTION 9 (1)

BY: J. Plachon

DATE OF ISSUE September 24, 1981

DATE EFFECTIVE November 9, 1982

ISSUED BY William Van Hawkins
Name of Officer

TITLE Chairman, Board of Water
District Commissioners

Issued by authority of an Order of the Public Service Commission of Kentucky
in Case No. 8043 dated September 24, 1981

CANCELLED
JAN 01 2010
KENTUCKY PUBLIC SERVICE COMMISSION

Henry County Water District #2
(Name of Utility)

FOR Henry, Trimble, Carroll, Shelby and Oldham
Counties in Kentucky
Community, Town or City

P.S.C. KY. NO. _____

_____ SHEET NO. _____

CANCELLING P.S.C. KY. NO. _____

_____ SHEET NO. _____

RULES AND REGULATIONS

It is the policy of the District that development should pay to offset its hydraulic impact on the water distribution system, rather than such costs being paid by the District's customers. Development shall be defined as any previously unserved lot or lots, or other unserved tract of land, or any proposed commercial or industrial use of land. This rule shall not apply to lots in subdivisions for which the District has previously certified water availability. This rule shall apply equally to all areas of the District's service area, regardless of county.

Development shall be required to offset its hydraulic impact on the system's minimum daily water pressures by means of water line improvements to the distribution system. The cost of these offsetting improvements, per unit of peak flow in gallons per minute, shall be calculated biennially by the District's accountant and engineer as the average cost per unit of peak flow resulting from all hydraulic improvement projects evaluated during the preceding four years. These projects shall be evaluated in terms of their resultant improvement in minimum daily pressures and the increase in gallons per minute of peak flow, which can be accommodated by virtue of these improvements. The total cost of these projects, divided by the total associated peak flow in gallons per minute, shall determine the charge per gallon per minute of peak flow to be paid by development. The results of this biennial calculation shall be submitted to the District's Board of Commissioners for their review and approval and to the Public Service Commission. The initial Offsetting Improvement Charge (OIC) shall be in the sum of \$980.00 per gallon per minute peak flow.

Residential development shall be charged on the basis of one gallon per minute of peak flow per lot. The District shall not certify water availability on final plats until the charge for the entire subdivision has been received. If the number of lots is revised at a later date the utility shall refund any over collection.

Commercial and Industrial developments shall be evaluated by a specific engineering analysis of their peak flow, to which the gallon per minute charge shall be applied. Water

DATE OF ISSUE _____
Month / Date / Year

DATE EFFECTIVE _____
Month / Date / Year

ISSUED BY James Simpson
(Signature of Officer)

TITLE CHIEF OPERATING OFFICER

BY AUTHORITY OF ORDER OF THE PUBLIC SERVICE COMMISSION
IN CASE NO. _____ DATED _____

PUBLIC SERVICE COMMISSION
OF KENTUCKY
EFFECTIVE

AUG 24 2003

PURSUANT TO 807 KAR 5:011
SECTION 9 (1)

BY Charles E. Brown
EXECUTIVE DIRECTOR

CANCELLED
JAN 01 2010
KENTUCKY PUBLIC SERVICE COMMISSION

FOR Henry, Trimble, Carroll, Shelby and Oldham
Counties in Kentucky

Community, Town or City

P.S.C. KY. NO. _____

_____ SHEET NO. _____

CANCELLING P.S.C. KY. NO. _____

_____ SHEET NO. _____

Henry County Water District #2
(Name of Utility)

RULES AND REGULATIONS

service to Commercial and Industrial developments shall not be provided until the charge has been received.

All Developments shall require a preliminary hydraulic analysis to identify offsetting improvement projects. These projects shall be added to the database of hydraulic improvements for biennial average calculation of the offsetting improvement charge per gallon per minute of peak flow.

Offsetting improvement charges shall be placed in an escrow account and shall be used only for water line projects, which improve hydraulic conditions in the distribution system. At the end of each year the District shall submit to the Public Service Commission a list of all offsetting improvement charges collected and an accounting of all expenditures from said escrow account for hydraulic improvement projects.

The offsetting improvement charge shall apply in cases where the proposed development would not reduce pressures below the required 30-PSI state minimum. In cases where pressures would be reduced below the minimum level, the developer shall make improvements to the distribution system to the extent necessary to specifically offset the developer's impact. Such improvements shall be made by the developer in lieu of the offsetting improvement charge. In addition, if the improvements made by the developer have the effect of restoration above previously existing pressure levels of the developer shall receive an offsetting credit for such excess.

At the time of each biennial offsetting improvement charge recalculation, the District shall also supply the Public Service Commission with a written long time construction plan for the proposed use of proceeds from the offsetting improvement charge. This construction plan shall be compiled and prioritized to include distribution system improvements in those areas of the district, which are experiencing both growth and low pressures. Growth, low pressure, and cost-effectiveness shall be the only allowable criteria. No projects will be included which repair

DATE OF ISSUE _____
Month / Date / Year

DATE EFFECTIVE _____
Month / Date / Year

ISSUED BY James C. Spivey II
(Signature of Officer)

TITLE CHIEF OPERATING OFFICER

BY AUTHORITY OF ORDER OF THE PUBLIC SERVICE COMMISSION
IN CASE NO. _____ DATED _____

**PUBLIC SERVICE COMMISSION
OF KENTUCKY
EFFECTIVE**

AUG 24 2003

PURSUANT TO 807 KAR 5:011
SECTION 9 (1)

BY Thomas H. Brown
EXECUTIVE DIRECTOR

CANCELLED
JAN 01 2010
KENTUCKY PUBLIC SERVICE COMMISSION

Henry County Water District #2
(Name of Utility)

FOR Henry, Trimble, Carroll, Shelby and Oldham
Counties in Kentucky
Community, Town or City

P.S.C. KY. NO. _____

_____ SHEET NO. _____

CANCELLING P.S.C. KY. NO. _____

_____ SHEET NO. _____

RULES AND REGULATIONS

lines, construct pumps, tanks, etc., or extend service (unless such extension closes a hydraulic loop and increases pressure.)

The possibility of the OIC tariff providing benefits to existing customers shall also be reviewed as part of the District's biennial submittal to the PSC. Since this charge is calculated strictly on the basis of development restoring its specific hydraulic impact, existing customers system wide should receive no net benefit beyond the maintaining of the status quo. Those existing customers who may experience better pressures on roads with both development and OIC-financed improvements should be counterbalanced by those existing customers who experience lower pressures on roads with development, but where no OIC projects have been constructed.

DATE OF ISSUE _____
Month / Date / Year

DATE EFFECTIVE _____
Month / Date / Year

ISSUED BY James Byrd
(Signature of Officer)

TITLE CHIEF OPERATING OFFICER

BY AUTHORITY OF ORDER OF THE PUBLIC SERVICE COMMISSION
IN CASE NO. _____ DATED _____

PUBLIC SERVICE COMMISSION
OF KENTUCKY
EFFECTIVE

AUG 24 2003

PURSUANT TO 807 KAR 5:011
SECTION 9 (1)

BY Charles L. Dore
EXECUTIVE DIRECTOR